

Electricals



Switch panel

Switch panel - Single engine

06323-ZW1-V04

- Includes 1 complete panel with start switch, emergency stop switch, oil pressure/engine temp alert lamps, warning buzzer, connecting wire and mounting hardware, choke switch

Application as from BF40 up to BF90



Switch panel EFI - Single engine

06323-ZW5-643

- Includes 1 complete panel with start switch, emergency stop switch, oil pressure/engine temp alert lamps, warning buzzer, connecting wire and mounting hardware

Application as from BF115 up to BF225



Switch panel - Dual engine

06323-ZW1-V13

- Includes 2 complete panels with start switches, emergency stop switches, oil pressure/engine temp alert lamps, warning buzzers, connecting wires and mounting hardware, choke switches

Application as from BF40 up to BF90



Switch panel EFI - Dual engine

06323-ZW5-752

- Includes 2 complete panels with start switches, emergency stop switches, oil pressure/engine temp alert lamps, warning buzzers, connecting wires and mounting hardware

Application as from BF115 up to BF225



Electricals



Switch panel

Switch plate

06200-ZV5-010AH

- Anodised aluminium plate allowing dash mounting of the ignition, choke and stop switches, the oil pressure/engine temp alert lamps and buzzer. Designed to accept components removed from Honda side mount remote control when installing top or panel mount controls



Application as from BF25 up to BF225

Required part: 87120-ZW5-000 E.F.I. sticker plate



Electricals



Wire harness

Wire harness A

32540-ZV5-911

- Harness A: 7 foot (2.1m) long fused harness connecting tachometer, trim meter, light switch and harness B. If harness B is not used, an additional gauge can be connected to the unused terminal ends

Application as from BF8 up to BF225




Wire harness B

32550-ZV5-910

- Harness B: connects to Harness A, includes connections for the speedometer light, voltmeter and hourmeter

Application as from BF8 up to BF225



Wire harness Deluxe

32550-ZW5-U00

- Connects to harness A, includes connections for the speedometer light, voltmeter and hourmeter Deluxe

Application as from BF8 up to BF225



Instrument harness

32103-ZW7-000AH

- Intended for flat lens gauges: includes all connectors for 5 gauge set plus optional water pressure gauge light, also includes connectors for light switch, replaces harness A & B

Application as from BF8 up to BF225



Electricals




Wire harness

Wire harness

32570-ZW1-900

- Extension of main 14 wire harness, does not extend 3 wire PGM-FI panel harness for BF115, BF130
- 7 foot (2.1 m) long, attaches at engine end

Application as from BF25 up to BF225



Main wire harness

32580-ZY3-000

- 16.5 feet (5.0 m) long
- Main wire harness with 14 wire conductor, does not extend 3 wire PGM-FI panel harness, attaches the switch panel, remote control and engine

Application as from BF25 up to BF225



Main wire harness

06325-ZW5-U00

- 16.5 feet (5.0 m) long
- Main wire harness with 17 wire conductor that connects the switch panel, remote control, PGM-FI panel lights and engine (includes the 3 main wires PGM-FI light panel harness)

Application as from BF115 up to BF225



Main wire harness

08M66-ZW7-020AH

- 20 feet (6.1 m) long
- Main wire harness with 17 wire conductor that connects the switch panel, remote control, PGM-FI panel lights and engine (includes the 3 main wires PGM-FI light panel harness)

Application as from BF115 up to BF225



Electricals



Wire harness

Main wire harness

32581-ZW1-V00

- 30 feet (9.15 m) long
- Main wire harness with 14 wire conductor that connects the switch panel, remote control and engine (does not include 3 wires PGM-FI light panel harness) (heavier meters wire used)

Application as from BF25 up to BF225



Main wire harness

32581-ZW1-V90

- 90 feet (27.45 m) long
- Main wire harness with 14 wire conductor that connects the switch panel, remote control and engine (does not include 3 wires PGM-FI light panel harness) (heavier meters wire used)

Application as from BF25 up to BF130



Wire harness PGM-FI panel lights

32570-ZW5-U00

- 7 feet (2.1 m) long harness connecting 3 wire PGM-FI light panel to engine (harness only)

Application as from BF115 up to BF225



Wire harness PGM-FI panel lights "Designed for digital gauges"

32185-ZY6-000

- 16.5 feet (5.0 m) long harness connecting 2 wire PGM-FI light panel to engine (harness only)

Application as from BF115 up to BF225



Electricals



Wire harness

Wire harness PGM-FI panel lights

32185-ZY3-000

- 16.5 feet (5.0 m) long harness connecting 3 wire PGM-FI light panel to engine (harness only)

Application as from BF115 up to BF225



Wire harness PGM-FI panel lights

32570-ZW5-U10

- 30 feet (9.15 m) long harness
- connecting 3 wire PGM-FI light panel to engine (harness only)

Application as from BF115 up to BF225



Wire harness extension 8 plugs (4 at each end)

32570-ZW5-U20

- Ext. of the main 17 wire conductor harness, includes the 3 main wires PGM-FI light panel harness, 7 feet (2.1 m) long, attaches at remote control end

Application as from BF115 up to BF225



Wire harness extension 4 plugs (2 at each end)

32570-ZW9-900

- Ext. of the main 8 wire conductor harness, 7 feet (2.1 m) long, attaches at engine end

Application BF8, BF10



Electricals



Wire harness

Wire harness extension 4 plugs (2 at each end)

32570-ZY1-900

- Ext. of the main 10 wire conductor harness, 7 feet (2.1 m) long, attaches at engine end
- Connection can be used 2 times

Application BF15, BF20



Wire harness extension 6 plugs (3 at each end)

32570-ZY3-900

- Ext. of the main 14 wire harness does not extend 3 wire PGM-FI light panel harness, 7 feet (2.1 m) long, attaches at remote control end.

Application as from BF25 up to BF225





Battery

Marine Batteries

- Totally maintenance free battery, cover heatsealed, no filler caps, no contamination, featuring a unique charge indicator



Amp/h	KG	Reference	BF 2	BF 4.5	BF 5	BF 6	BF 8	BF 10	BF 15	BF 20	BF 25	BF 30	BF 40	BF 50	BF 75	BF 90	BF 115	BF 130	BF 150	BF 175	BF 200	BF 225	
44	12.1	31500-SK4-000HE																					
45	11.8	31500-SR3-000HE																					
45	12.4	31500-ST3-100HE																					
45	12.4	31500-ST3-000HE																					
47	12.5	31500-SN7-E02																					
55	14.0	31500-SK4-100HE																					
55	14.9	31500-SN7-S02																					
65	16.4	31500-SV2-000HE																					
65	16.4	31500-SM4-010HE																					
70	16.9	31500-ZW0-000HE (*)																					
70	17.7	31500-SP0-010HE																					
70	17.7	31500-SP0-020HE																					
90	23.7	31500-ZW5-000HE																					

* With plastic handle



Electricals



Notes

A series of horizontal dotted lines for taking notes, spanning the width of the page.

